



WINLEE

BUILT STRONG. CARRY MORE. GO FURTHER.

CARGO ELECTRIC TRICYCLE

C A T A L O G

—
2026



WINLEE

ABOUT WINLEE

BUILT STRONG. CARRY MORE. GO FURTHER.

Founded in 2015, **WINLEE** Electric Vehicle Co., Ltd. is a professional manufacturer and exporter specializing in electric scooters, electric motorcycles, and electric tricycles. Backed by years of industry expertise, the company integrates product research and development, manufacturing, quality inspection, and international sales into a complete production system. With a strong focus on innovation, durability, and market-oriented design, WINLEE is committed to providing reliable electric mobility solutions for global customers and continuously expanding its presence in overseas markets.

WINLEE

鴻 鋅 科 技



2015

ESTABLISHED IN



**PROFESSIONAL
MANUFACTURER**



FOCUS ON

INNOVATION & QUALITY



GLOBAL

EXPORT EXPERIENCE



RELIABLE QUALITY

STRICT QUALITY CONTROL



CUSTOMER FIRST

LONG-TERM PARTNERSHIP





WINLEE

BUILT STRONG. CARRY MORE. GO FURTHER.

PRODUCT MENU

CARGO ELECTRIC TRICYCLE SERIES



**DURABLE
BUILD**

Built for Heavy
Duty Use



**POWERFUL
PERFORMANCE**

Strong Motor and
High Efficiency



**HEAVY LOAD
CAPACITY**

Designed for
Maximum Cargo



**EASY
MAINTENANCE**

Simple Structure
Reliable Parts

2026 COLLECTION

WINLEE • ELECTRIC MOBILITY SOLUTIONS

01



TT

[VIEW DETAILS](#)

02



TT-1

[VIEW DETAILS](#)

03



FY16

[VIEW DETAILS](#)

04



JG18

[VIEW DETAILS](#)

05



SY16

[VIEW DETAILS](#)

06



JF16

[VIEW DETAILS](#)



WINLEE

BUILT STRONG. CARRY MORE. GO FURTHER.

PRODUCT MENU

CARGO ELECTRIC TRICYCLE SERIES



**DURABLE
BUILD**

Built for Heavy
Duty Use



**POWERFUL
PERFORMANCE**

Strong Motor and
High Efficiency



**HEAVY LOAD
CAPACITY**

Designed for
Maximum Cargo



**EASY
MAINTENANCE**

Simple Structure
Reliable Parts

2026 COLLECTION

WINLEE • ELECTRIC MOBILITY SOLUTIONS

07



ZL-2

[VIEW DETAILS](#)

08



JN-1

[VIEW DETAILS](#)

09



JN-2

[VIEW DETAILS](#)

10

JG18

[VIEW DETAILS](#)

11

SY16

[VIEW DETAILS](#)

12

JF16

[VIEW DETAILS](#)



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.

TT

CARGO ELECTRIC
TRICYCLE SERIES



SPECIFICATIONS



MODEL

TT



MOTOR

650W



CONTROLLER

30A



SPEED

35KM/h



BRAKING

Front and rear
drum brakes



TIRE SIZE

Front 3.00-12 TL
Rear 3.00-12 TL



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.



DETAILS SHOWCASE



01

LED HEADLIGHT

High-brightness LED headlight with sharp design, ensuring maximum visibility and safety for night riding.



02

POWERFUL MOTOR

High-efficiency motor delivers strong power and reliable performance for heavy-duty cargo transportation.



03

FRONT WHEEL

Wear-resistant tires with excellent grip and stability, suitable for various road conditions.



04

SMART DISPLAY

Clear digital display shows speed, battery level and status at a glance for better control and convenience.




< RETURN MENU

MODEL: TT

ELECTRIC CARGO TRICYCLE

BUILT TO WORK. DESIGNED TO DELIVER.



PRODUCT OVERVIEW



MOTOR POWER

650W



AUDIO & DASHBOARD

LCD dashboard (external MP3)



REAR AXLE

Rear axle #110
brake drum



FRONT FORK

Front 31#
Hydraulic Fork



BRAKE SYSTEM

110# brake drum



TIRES

Front: 3.00-12 T T
Rear: 3.00-12 T T



LIGHTING & SIGNALS

LED Headlight
Flowing turn signal



SEAT

Foam seat cushion

OVERALL LENGTH
240 CM

OVERALL WIDTH
86 CM

OVERALL HEIGHT
113 CM

CARGO BOX SIZE
110 CM (L) × 86 CM (W) × 30 CM (H)



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.

TT-1

CARGO ELECTRIC
TRICYCLE SERIES



SPECIFICATIONS



MODEL
TT-1



MOTOR
650W



CONTROLLER
35A



SPEED
35KM/h



BRAKING
Front and rear
drum brakes



TIRE SIZE
Front 3.50-12 TL
Rear 3.50-12 TL



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.



DETAILS SHOWCASE



01

LED HEADLIGHT


High-brightness LED headlight with sharp design, ensuring maximum visibility and safety for night riding.



02

FRONT WHEEL

Wear-resistant tires with excellent grip and stability, suitable for various road conditions.



03

SMART DISPLAY

Clear digital display shows speed, battery level and status at a glance for better control and convenience.



04

POWERFUL MOTOR


High-efficiency motor delivers strong power and reliable performance for heavy-duty cargo transportation.



< RETURN MENU

ELECTRIC CARGO TRICYCLE

BUILT TO WORK. DESIGNED TO DELIVER.



SPECIFICATIONS



650W motor (650W电机)



Function switch (多功能转把)



Rear axle #110 brake drum
(后桥110#刹车鼓)



LCD dashboard (external MP3)
液晶仪表 (外置MP3)



110# Brake Drum (110#刹车鼓)



Foam seat cushion (发泡棉座垫)



LED Headlight (LED大灯)
Flowing turn signal (流水转向灯)



Front tire size: 3.50-12 TT (前轮胎: 3.50-12 TT)
Rear tire size: 3.50-12 TT (后轮胎: 3.50-12 TT)

OVERALL LENGTH
260 CM

OVERALL WIDTH
96 CM

OVERALL HEIGHT
110 CM

CARGO BOX SIZE
120 CM (L) × 96 CM (W) × 32 CM (H)



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.



FY16

CARGO ELECTRIC TRICYCLE SERIES



SPECIFICATIONS



MODEL

FY-1.6



MOTOR

1500W



CONTROLLER

55A



SPEED

30-35KM/h



BRAKING

Front and rear
drum brakes



TIRE SIZE

Front 3.50-12 TL
Rear 4.00-12 TL



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.




DETAILS SHOWCASE



01

FRONT WHEEL

Wear-resistant tires with excellent grip and stability, suitable for various road conditions.



02

POWERFUL MOTOR


High-efficiency motor delivers strong power and reliable performance for heavy-duty cargo transportation.



03

FRONT SHOCK ABSORBER

Hydraulic shock absorbers effectively absorb bumps and vibrations for a smoother and more comfortable ride.



04

SMART DISPLAY

Clear digital display shows speed, battery level and status at a glance for better control and convenience.



< RETURN MENU

ELECTRIC CARGO TRICYCLE

POWERFUL • RELIABLE • BUILT FOR WORK

MODEL: **FY-16**



KEY SPECIFICATIONS / 主要技术参数

 Motor Power / 电机功率	1500W	 Tires / 轮胎规格	Front: 3.50-12 T T Rear: 4.00-12 T T
 Rear Axle / 后桥	Integrated transfer rear axle 180# brake drum (一体变档后桥180#刹车鼓)	 Seat / 座椅	Foam seat cushion (发泡棉座垫)
 Braking System / 刹车系统	Front: 110# brake drum Rear: 180# brake drum	 Audio / 音响	12V dual speakers (12V双喇叭)
 Suspension / 前减震	Front 43# outer spring shock absorber (43#外簧前减震)	 Dashboard / 仪表	LCD dashboard (external MP3) (液晶仪表 (外置MP3))

OVERALL LENGTH
300 CM

OVERALL WIDTH
110 CM

OVERALL HEIGHT
143 CM

CARGO BOX SIZE
160CM (L) × 110CM (W) × 58CM (H)



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.

JG-18

CARGO ELECTRIC
TRICYCLE SERIES



SPECIFICATIONS



MODEL

JG-18



MOTOR

1500W



CONTROLLER

60A



SPEED

40KM/h



BRAKING

Front and rear
drum brakes



TIRE SIZE

Front 400-12 TL
Rear 450-12 TL



WINLEE
ELECTRIC MOBILITY TRICYCLES

BUILT STRONG.
CARRY MORE.
GO FURTHER.



DETAILS SHOWCASE



01

LED HEADLIGHT

High-brightness LED headlight with sharp design, ensuring maximum visibility and safety for night riding.



02

FRONT WHEEL


Wear-resistant tires with excellent grip and stability, suitable for various road conditions.



03

LARGE CAPACITY DURABLE CARGO BOX

Spacious and sturdy cargo box with high load-bearing capacity, designed for safe and efficient cargo transportation.



04

HIGH-PERFORMANCE CONTROLLER


Intelligent controller ensures stable power output, efficient energy management and reliable performance.



< RETURN MENU

ELECTRIC CARGO TRICYCLE

POWERFUL • RELIABLE • BUILT FOR WORK



KEY SPECIFICATIONS

	Motor Power	2000W		Audio & Dashboard	LCD dashboard (external MP3) 12V dual speakers
	Rear Axle	Fully suspended integrated shifting rear axle		Front Suspension	Front 43# outer spring shock absorber
	Braking System	Front: 110# brake drum Rear: 220# brake drum		Tires	Front: 4.00-12 TT Rear: 4.50-12 TT
	Lighting & Signals	LED headlight Flowing turn signal		Seat	Foam seat cushion

OVERALL LENGTH
330 CM

OVERALL WIDTH
130 CM

OVERALL HEIGHT
143 CM

CARGO BOX SIZE
180CM (L) × 130CM (W) × 50CM (H)



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.

SY-16

CARGO ELECTRIC
TRICYCLE SERIES



SPECIFICATIONS



MODEL
SY-16



MOTOR
1200W



CONTROLLER
55A



SPEED
35KM/h



BRAKING
Front and rear
drum brakes



TIRE SIZE
Front 3.75-12 TL
Rear 4.00-12 TL



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.



DETAILS SHOWCASE



01

LED HEADLIGHT

High-brightness LED headlight with sharp design, ensuring maximum visibility and safety for night riding.



02

SMART DISPLAY

Clear digital display shows speed, battery level and status at a glance for better control and convenience.



03

FRONT SHOCK ABSORBER

Hydraulic shock absorbers effectively absorb bumps and vibrations for a smoother and more comfortable ride.



04

FRONT WHEEL

Wear-resistant tires with excellent grip and stability, suitable for various road conditions.



< RETURN MENU

ELECTRIC CARGO TRICYCLE

POWERFUL • RELIABLE • BUILT FOR WORK

MODEL: **SY-16**



KEY SPECIFICATIONS / 主要技术参数

	Motor Power / 电机功率	1500W		Tires / 轮胎规格	Front: 3.75-12 T T Rear: 4.00-12 T T
	Rear Axle / 后桥	Integrated transfer rear axle 160# brake drum (一体变档后桥160#刹车鼓)		Seat / 座椅	Foam seat cushion (发泡棉座垫)
	Braking System / 刹车系统	Front: 110# brake drum Rear: 160# brake drum		Audio / 音响	12V dual speakers (12V双喇叭)
	Suspension / 前减震	Front 37# outer spring shock absorber (37#外簧前减震)		Dashboard / 仪表	LCD dashboard (external MP3) (液晶仪表 (外置MP3))

OVERALL LENGTH
300 CM

OVERALL WIDTH
110 CM

OVERALL HEIGHT
135 CM

CARGO BOX SIZE
160CM (L) × 110CM (W) × 30CM (H)



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.

JF-16

CARGO ELECTRIC
TRICYCLE SERIES



SPECIFICATIONS



MODEL

JF-16



MOTOR

1200W



CONTROLLER

55A



SPEED

35KM/h



BRAKING

Front and rear
drum brakes



TIRE SIZE

Front 3.75-12 TL
Rear 4.00-12 TL



WINLEE
ELECTRIC MOBILITY TRICYCLES

BUILT STRONG.
CARRY MORE.
GO FURTHER.



DETAILS SHOWCASE



01

LED HEADLIGHT

High-brightness LED headlight with sharp design, ensuring maximum visibility and safety for night riding.



02

FRONT WHEEL


Wear-resistant tires with excellent grip and stability, suitable for various road conditions.



03

LARGE CAPACITY DURABLE CARGO BOX

Spacious and sturdy cargo box with high load-bearing capacity, designed for safe and efficient cargo transportation.



04

FRONT SHOCK ABSORBER


Hydraulic shock absorbers effectively absorb bumps and vibrations for a smoother and more comfortable ride.

< RETURN MENU

ELECTRIC CARGO TRICYCLE

POWERFUL • RELIABLE • BUILT FOR WORK

MODEL: JF16



TECHNICAL SPECIFICATIONS / 主要技术参数

	Motor Power / 电机功率	1500W		Tires / 轮胎规格	Front: 3.75-12 TT Rear: 4.00-12 TT
	Rear Axle / 后桥	Fully suspended integrated shifting rear axle 180# brake drum (全悬浮一体变档后桥180#刹车鼓)		Seat / 座椅	Foam seat cushion (发泡棉座垫)
	Braking System / 刹车系统	Front: 110# brake drum Rear: 180# brake drum		Audio / 音响	12V dual speakers (12V双喇叭)
	Suspension / 前减震	Front 43# outer spring shock absorber (43#外簧前减震)		Dashboard / 仪表	LCD dashboard (external MP3) 液晶仪表 (外置MP3)

OVERALL LENGTH
300 CM

OVERALL WIDTH
110 CM

OVERALL HEIGHT
138 CM

CARGO BOX SIZE
160CM (L) × 110CM (W) × 42CM (H)



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.

ZL-2

CARGO ELECTRIC
TRICYCLE SERIES



SPECIFICATIONS



MODEL
ZL-2



MOTOR
1200W



CONTROLLER
55A



SPEED
35KM/h



BRAKING
**Front and rear
drum brakes**



TIRE SIZE
**Front 3.75-12 TL
Rear 4.00-12 TL**



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.



DETAILS SHOWCASE



01

LED HEADLIGHT

High-brightness LED headlight with sharp design, ensuring maximum visibility and safety for night riding.



02

FRONT WHEEL


Wear-resistant tires with excellent grip and stability, suitable for various road conditions.



03

LARGE CAPACITY CARGO BOX

Spacious cargo box with reinforced construction, designed for heavy-duty transportation and long-term use.



04

POWERFUL MOTOR

High-efficiency motor delivers strong power and reliable performance for heavy-duty cargo transportation.



< RETURN MENU

CARGO ELECTRIC TRICYCLE SPECS

BUILT TO WORK. DESIGNED TO DELIVER.

MODEL: ZL-2




ELECTRIC
POWER



RELIABLE
PERFORMANCE



BUILT FOR
TOUGH JOBS



SPECIFICATIONS / 主要技术参数



Motor Power / 电机功率 1500W



Tires / 轮胎规格

Front: 3.75-12 T T
Rear: 4.00-12 T T



Integrated transfer rear axle 180# brake drum
一体变档后桥180#刹车鼓



Seat / 座椅

Foam seat cushion
(发泡棉座垫)



Braking System / 刹车系统
Front: 110# brake drum
Rear: 180# brake drum



Audio / 音响

12V dual speakers
(12V双喇叭)



Suspension / 前减震
Front 43# outer spring shock absorber
43#外簧前减震



Dashboard / 仪表

LCD dashboard (external MP3)
液晶仪表 (外置MP3)

OVERALL LENGTH
300 CM

OVERALL WIDTH
110 CM

OVERALL HEIGHT
138 CM

CARGO BOX SIZE
160CM (L) × 110CM (W) × 42CM (H)



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.

JN-1

CARGO ELECTRIC
TRICYCLE SERIES



SPECIFICATIONS



MODEL
JN-1



MOTOR
1200W



CONTROLLER
55A



SPEED
35KM/h



BRAKING
**Front and rear
drum brakes**



TIRE SIZE
**Front 3.75-12 TL
Rear 4.00-12 TL**



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.



DETAILS SHOWCASE



01

LED HEADLIGHT


High-brightness LED headlight with sharp design, ensuring maximum visibility and safety for night riding.



02

FRONT WHEEL

Wear-resistant tires with excellent grip and stability, suitable for various road conditions.



03

FRONT SHOCK ABSORBER

Hydraulic shock absorbers effectively absorb bumps and vibrations for a smoother and more comfortable ride.



04

POWERFUL MOTOR

High-efficiency motor delivers strong power and reliable performance for heavy-duty cargo transportation.



< RETURN MENU

ELECTRIC CARGO TRICYCLE

POWERFUL • RELIABLE • BUILT FOR WORK

MODEL: JN-1



KEY SPECIFICATIONS / 主要技术参数



1500W powerful motor
(1500W电机)



Fully suspended integrated shifting
rear axle 180# brake drum
(全悬浮一体变档后桥180#刹车鼓)



Braking System
(刹车系统)

Front: 110# brake drum
(前: 110#刹车鼓)
Rear: 180# brake drum
(后: 180#刹车鼓)



Suspension
(前减震)

Front 43# outer
spring shock absorber
(43#外簧前减震)



Tires / 轮胎规格

Front: 3.75-12 T T
(前轮胎: 3.75-12 T T)
Rear: 4.00-12 T T
(后轮胎: 4.00-12 T T)



Seat / 座椅

Foam seat cushion
(发泡棉座垫)



Audio / 音响

12V dual speakers
(12V双喇叭)



Dashboard / 仪表

LCD dashboard (external MP3)
(液晶仪表 (外置MP3))

OVERALL LENGTH
300 CM

OVERALL WIDTH
110 CM

OVERALL HEIGHT
138 CM

CARGO BOX SIZE
160CM (L) × 110CM (W) × 42CM (H)



WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.

JN-2

CARGO ELECTRIC
TRICYCLE SERIES



SPECIFICATIONS



MODEL
JN-2



MOTOR
1200W



CONTROLLER
55A



SPEED
35KM/h



BRAKING
**Front and rear
drum brakes**



TIRE SIZE
**Front 3.75-12 TL
Rear 4.00-12 TL**




WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.



DETAILS SHOWCASE



01

LED HEADLIGHT

High-brightness LED headlight with sharp design, ensuring maximum visibility and safety for night riding.



02

FRONT WHEEL


Wear-resistant tires with excellent grip and stability, suitable for various road conditions.



03

LARGE CAPACITY CARGO BOX

Spacious cargo box with reinforced construction, designed for heavy-duty transportation and long-term use.



04

POWERFUL MOTOR

High-efficiency motor delivers strong power and reliable performance for heavy-duty cargo transportation.



< RETURN MENU



WINLEE

CONTACT US

We're here to help and answer any question you might have.



WHATSAPP

+85256827994



EMAIL

sales@winlee-gz.com



WEBSITE

<https://www.winlee-gz.com/>



ADDRESS

GUANGZHOU WINLEE TRADING CO.LTD
21 INDUSTRIAL STREET,
DAPING VILLAGE, SHATOU STREET
PANYU DISTRICT, GUANGZHOU, CHINA



SCAN QR CODE

to add us on WhatsApp
and get the latest
product information.



Reliable Quality
Assurance



Advanced
Technology



Global
Export



Professional
Service





WINLEE

BUILT STRONG.
CARRY MORE.
GO FURTHER.



PRODUCTION LINE

Precision Manufacturing, Superior Quality



Advanced production line ensures high efficiency, consistency and reliability in every WINLEE tricycle.


01 PARTS COATING



02 FRAME ASSEMBLY



03 WELDING & FABRICATION



04 MOTOR & COMPONENT ASSEMBLY



Strict Quality Control



Advanced Equipment



Skilled Workforce



High Efficiency Production



Reliable & Durable