



WINLEE

LITHIUM BATTERY PRODUCT CATALOG

Global Export Solutions



GLOBAL
NETWORK



RELIABLE
QUALITY



TRUSTED
PARTNER

INNOVATION
QUALITY
SERVICE

WINLEE POWER



WINLEE

BRAND & FACTORY

POWERING A SMARTER FUTURE

WINLEE is a professional lithium battery manufacturer integrating R&D, production and sales. We are committed to providing safe, reliable and high-performance lithium battery solutions for global customers.



MODERN FACTORY

Advanced production facilities and automated manufacturing lines.



QUALITY ASSURANCE

Strict quality control system ensures every battery meets international standards.



PROFESSIONAL TEAM

Experienced R&D and engineering team driving innovation and performance.



GLOBAL SERVICE

Products exported to multiple countries and regions around the world.






WINLEE

CONTENTS



01 >>

76.8V40Ah



[VIEW DETAILS >>](#)



02 >>

48V20Ah



[VIEW DETAILS >>](#)



03 >>

73.6V30Ah



[VIEW DETAILS >>](#)



04 >>

76.8V40Ah



[VIEW DETAILS >>](#)



05 >>

[VIEW DETAILS >>](#)



06 >>

[VIEW DETAILS >>](#)



07 >>

[VIEW DETAILS >>](#)

76.8V40Ah

HIGH PERFORMANCE • SAFE • RELIABLE



IP67
WATER & DUST
PROTECTION

PACKAGING REFERENCE



Package Size:
308 × 310.91 × 442.23 mm
(L × W × H)

SPECIFICATIONS



Product Model
76.8V40Ah



Product Specification
3.072 kWh



Cell Chemistry
Lithium Iron Phosphate



Cell Format
Cylindrical



Cell Model
40135-20Ah



Cell Voltage
3.2V



Cell Capacity
40Ah



Protection Board Model /
Specification
24S



Protection Board
Charging Current
30A



Protection Board
Discharging Current
80A



Dimensions (L × W × H)
308 × 310.91 × 442.23 mm



Weight
30 kg



Ingress Protection Rating
IP67

APPLICATIONS



ELECTRIC BICYCLE



ELECTRIC MOTORCYCLE



RETURN MENU



LONG CYCLE LIFE
Reliable Performance



WIDE TEMPERATURE
OPERATION




BUILT TO PERFORM
Engineered for Demanding
Applications

48V20Ah

HIGH PERFORMANCE • SAFE • RELIABLE

**IP67**
WATER & DUST
PROTECTION

PACKAGING REFERENCE



Package Size:
180 × 130 × 265.8 mm
(L × W × H)

SPECIFICATIONS



Product Model
48V20Ah



Product Specification
960Wh



Cell Chemistry
Lithium Iron Phosphate



Cell Format
Cylindrical



Cell Model
40135-20Ah



Cell Voltage
3.2V



Cell Capacity
20Ah



Protection Board Model /
Specification
15S



Protection Board
Charging Current
20A



Protection Board
Discharging Current
30A



Dimensions (L × W × H)
180 × 130 × 265.8 mm



Weight
7.85 kg



Ingress Protection Rating
IP67

APPLICATIONS

**ELECTRIC BICYCLE****ELECTRIC MOTORCYCLE**[RETURN MENU](#)

LONG CYCLE LIFE
Reliable Performance



WIDE TEMPERATURE
OPERATION



BUILT TO PERFORM
Engineered for Demanding
Applications

73.6V30Ah

HIGH PERFORMANCE • SAFE • RELIABLE



IP65
WATER & DUST
PROTECTION

PACKAGING REFERENCE



Package Size:
266 × 158 × 307 mm
(L × W × H)

SPECIFICATIONS



Product Model
73.6V30Ah



Product Specification
2208Wh



Cell Chemistry
Lithium Iron Phosphate



Cell Format
Cylindrical



Cell Model
32135-15Ah



Cell Voltage
3.2V



Cell Capacity
30Ah



Protection Board Model /
Specification
23S



Protection Board
Charging Current
30A



Protection Board
Discharging Current
60A



Dimensions (L × W × H)
266 × 158 × 307 mm



Weight
20 kg



Ingress Protection Rating
IP65

APPLICATIONS



ELECTRIC BICYCLE



ELECTRIC MOTORCYCLE



RETURN MENU



LONG CYCLE LIFE
Reliable Performance



WIDE TEMPERATURE
OPERATION



BUILT TO PERFORM
Engineered for Demanding
Applications

76.8V40Ah

HIGH PERFORMANCE • SAFE • RELIABLE



PACKAGING REFERENCE



Package Size:
250 × 180 × 380 mm
(L × W × H)

SPECIFICATIONS



PRODUCT MODEL
76.8V40Ah



PRODUCT SPECIFICATION
3072Wh



CELL CHEMISTRY
Lithium Iron Phosphate



CELL FORMAT
Soft package



CELL MODEL
P40-40Ah



CELL CAPACITY
40Ah



PROTECTION BOARD MODEL /
SPECIFICATION
24S



PROTECTION BOARD
CHARGING CURRENT
40A



PROTECTION BOARD
DISCHARGING CURRENT
80A



DIMENSIONS (L × W × H)
250 × 180 × 380 mm



WEIGHT
28.4 kg



INGRESS PROTECTION RATING
/

APPLICATIONS

**ELECTRIC BICYCLE****ELECTRIC MOTORCYCLE**[RETURN MENU](#)

LONG CYCLE LIFE
Reliable Performance



WIDE TEMPERATURE
OPERATION



BUILT TO PERFORM
Engineered for Demanding
Applications

CONTACT US

We're here to help and answer
any question you might have.



WHATSAPP

+852 56827994



EMAIL

sales@winlee-gz.com



WEBSITE

<https://www.winlee-gz.com/>



ADDRESS

GUANGZHOU WINLEE TRADING CO.LTD
21 INDUSTRIAL STREET,
DAPINGVILLAGE, SHATOU STREET,
PANYU DISTRICT, GUANGZHOU, CHINA



SCAN QR CODE

to add us on WhatsApp
and get the latest
product information.



Reliable Quality
Assurance



Advanced
Technology



Global
Export



Professional
Service